

## Correction: Adherence of Mandibular Advancement Device for Obstructive Sleep Apnea in a Veteran Population

Harmeet K. Chiang, BDS, DDS, MS, FAGD<sup>1</sup>; John L. Smith, MS<sup>2</sup>; Elsa V. Mathew, MD<sup>3</sup>; Leslee E. Hudgins, DO<sup>3</sup>; Al M. Best, PhD<sup>3</sup>; Antony Fernandez, MD<sup>4</sup>

<sup>1</sup> Associate Professor, School of Dentistry, Virginia Commonwealth University, Richmond, Virginia, USA; <sup>2</sup> Student, School of Dentistry, Virginia Commonwealth University, Richmond, Virginia, USA; <sup>3</sup> Emeritus Professor, School of Dentistry, Virginia Commonwealth University, Richmond, Virginia, USA; <sup>4</sup> Physician, Integrated Sleep Disorders Center, McGuire Veterans Affairs Medical Center, Richmond, Virginia, USA

The article titled “Adherence of Mandibular Advancement Device for Obstructive Sleep Apnea in a Veteran Population” [*J Dent Sleep Med.* 2021; 8(1)] was missing a reference and some citations were cited out of order. The missing reference has been added and the in-text citations have been corrected.

### AUTHOR CORRESPONDENCE INFORMATION

Address correspondence to: Harmeet K. Chiang, Virginia Commonwealth University School of Dentistry, Lyons Dental Building, 520 North 12<sup>th</sup> Street, Box 980566, Richmond, Virginia 23298-0566. Email: [hkchiang@vcu.edu](mailto:hkchiang@vcu.edu)